



# WHY VINYLMAX?



**Quality First.** In our facility, we utilize the most modern manufacturing methods and technology to produce the highest quality vinyl replacement windows. This results in the best value for your home.



**Family Values.** As a family owned and operated business, we value and respect our employees and their families as well as the millions of families who have our windows in their homes.



**Warranty.** To protect your investment and our reputation, we back our products with a Lifetime Limited Warranty so strong that it will exceed your expectations.




Made in the USA. Vinylmax is passionate about American manufacturing, American jobs and the American economy. That is why we source the majority of our components from other American manufacturers and fabricate our windows in our Ohio and New York factories. When you buy a window made in the USA, you can be sure you are not only getting American quality, but also supporting and sustaining local communities.



Energy Star Partner. The needs of every home are different and with our specialized glass packages you can find the perfect fit. We offer both dual and triple pane glass options and can meet the EPA's ENERGY STAR® criteria depending on your geographic location. And by selecting our IntelliGlass Plus or Supreme triple pane options, the Franklin may qualify for Energy Star's Most Efficient 2020®.





## STANDARD FEATURES

- Cove molded sash detail replicates the look of classic wood windows.
- 2. **Bio-Maxx composite locks and keepers** are 50% stronger than standard die-cast hardware while remaining lead-free and color-true, without fading, warping or chipping.
- 3. **Dual Function partitioned sloped sill** forms a negative pressure pocket that keeps sashes securely in place and water flowing away from your home, even during the most adverse weather conditions.
- Shadow grooved sash welds replicate the classic look of mitered wood corners.
- IdeaSeal™ triple protection weather seal keeps the indoor and outdoor environments separate with an integral interlock, sill compression bulb seal, and multiple rows of weatherstripping.
- 6. **Full balance covers** hide internal systems while eliminating unsightly visible sash stops.
- 7. **Integral lift and pull rails** are ergonomically engineered for smooth operation while remaining aesthetically appealing.
- 8. **Dual push-button forced entry resistant** ASTM Night Locks limit sash movement for your family's safety and security.
- 9. **Effortless pivot balance system** utilizes stainless steel coils making sash operation smooth, effortless and whisper-quiet.
- 10. **Multi-chambered vinyl construction** provides a maintenance-free lifestyle with superior strength and thermal efficiency.
- 11. **Low-profile tilt latches** sit subtly out of view but easily engage when sashes need to be tilted in for cleaning.
- 12. **Four-point fusion welding** guarantees the frames and sashes are always strong and square.
- 13. **BetterVue® insect screening with Water Shed Technology™** preserves optical clarity by shedding water and resisting dirt and grime for a sharp, more brilliant outward view with 20% better air flow.








Double Hung windows are the most common style found in homes



BioMaxx locks are color matched to your window's interior.









Typical Screen





# PICTURE WINDOWS

- Maximize natural light
- Companion frame style complements operating windows
- Fully fusion welded



Architectural shapes also available.

# PRESTIGE CASEMENTS

- Crank hardware operates with minimal effort
- Multi-point locking system
- Ventilation is easy, even in tight spaces



# **ELEGANCE PATIO DOOR**

- Effortlessly open to access the outdoors
- Energy efficient floor to ceiling view
- Locking hardware keeps your home secure

# **CHOOSE YOUR PERFECT LOOK**

## **COLORS**

### **Solid Colors**

**Laminated Interiors** 










**Laminated Exteriors** 

### **Exterior Finishes**



## **GRIDS**


### **Patterns**











### **Profiles**



Grids are placed between the glass and are securely locked in to place, so they'll always remain straight and





# Flat, Georgian, and Pencil profiles available.



High-performance PVC coated spring steel frame is damage resistant, beautifully invisible and effortless to install. Simply hold the screen in your hands, bend the sides in, and fit **FlexScreen** in to your screen track.



Heavy duty extruded screen with full surround finger rail protects against insect intrusion. Interior spline is protected from UV damage and secures BetterVue improved visibility screen cloth.



**Sentry System multi-function locking hardware** integrates the lock and tilt functions into the same lock housing, leaving an uncluttered appearance.





Nail fin & extension jambs. Our integral nail fin option allows for flexibility of installation techniques. Extension jambs extend the depth of the window to bring it flush with the interior wall. Available in 4-9/16" or 6-9/16" depths.



**Neopor Rigid Thermal Insulation** in the frame combines fluorocarbon-free foam with graphite particles that reflect radiant heat, improving strength and insulation.

# ANATOMY OF AN ENERGY EFFICIENT WINDOW

- 1. Quality Frame Materials: low-maintenance frame materials, like vinyl, reduce heat transfer and help to better insulate.
- 2. Multiple Panes: two or three panes of glass with a gas filled airspace are energy-efficient, resist impact damage and provide sound insulation.
- 3. Low E Glass: reflects heat and keeps heat inside in the winter and outside in the summer. UV is also reflected, protecting furnishings from fading while allowing plants to thrive.
- 4. Gas Fill: Inert Argon and Krypton are more dense and insulate better than regular air.
- 5. Warm Edge Spacers: like Intercept or Super Spacer, keeps a window's glass panes the correct distance apart. Warm Edge Spacers insulate pane edges, reducing heat transfer through the window.





### **Intercept Spacer System**

features a unique, one-piece, tin-plated U-channel design that creates an effective thermal barrier to help reduce conducted heat loss through the window. Its sealed, onepiece design makes Intercept spacers stronger and better at retaining insulating gas than many conventional designs.



### **Super Spacer**

Optional warm edge Super Spacer is the "no metal" upgrade to help your windows reduce energy costs. Its 100% memory foam formula stands up to a wide range of temperatures and is designed to provide outstanding UV resistance. It dramatically decreases condensation and blocks heat escape for best thermal performance.

# **HOW DOES LOW-E GLASS WORK?**

Low Emissivity (Low-E) glass is one of the cornerstones of any energy efficient window. Its primary purpose is managing radiation, whether it's solar, light, ultraviolet, or heat. The secret is two or three microscopic layers of silver, which reflect heat back to its source. Other layers in the Low-E coating filter ultraviolet and solar radiation, while allowing visible light through.


Glass packages are filled with either argon or krypton gas in between the panes of glass. Both gases are denser than air, so they make it more difficult for heat or cold to transmit through the glass units. We use high quality sealants, sophisticated filling equipment and a voluntary verification system to ensure consistent glass performance.





# **INTELLIGLASS PACKAGES**

		GLASS PANES	LOW-E TYPE	AIRSPACE FILLING
IntelliGlass high performance	Northern & North Central climates	2	Standard	Argon
IntelliGlass X	North Central, South Central & Southern climates	2	Solar	Argon
IntelliGlass X3	All climates	3	Solar	Argon
IntelliGlass +	All climates	3	Standard	Argon
IntelliGlass Kr	All climates	3	Standard	Krypton





**Triple Pane Glass** is up to 50% more energy efficient than dual pane. Installing triple pane windows also reduces noise from the outside and fading from the sun.

Installing ENERGY STAR qualified windows

and doors lowers energy bills and saves you money. With more efficient windows, you also use less energy, which reduces greenhouse gas emissions from power plants.

NC SC S

N NC SC S

N NC SC S

Mith Crida

### PEF

IntelliGlass Supreme Triple Pane Low E / Krypton

PERFORMANCE DATA				o Grias	With Grids						
	Inter U		<u> </u>	Spacer		5 Cl	Inter		<u> </u>	Spacer	\ <del>.</del>
4700 Double Hung	Value	SHGC	U Value	SHGC	VLT	Energy Star	Value	SHGC	U Value	SHGC	VLT
IntelliGlass Low E / Argon	.28	.38	.27	.29	.53	N NC	.28	.34	.27	.26	.47
IntelliGlass X Low E / Argon	.28	.22	.27	.22	.50	NC SC S	.28	.20	.27	.20	.45
IntelliGlass X3 Triple Pane Low E / Argon	.24	.21	.23	.21	.46	N NC SC S	.25	.19	.23	.19	.41
IntelliGlass Plus Triple Pane Low E / Argon	.20	.24	.18	.24	.40	N NC SC S	.20	.22	.18	.22	.35
							1				

No Cride

	Intercept Super Spacer					Inter	rcept	Super Spacer				
4750/4753 Slider		SHGC	U Value	SHGC	VLT	Energy Star	U Value	SHGC	U Value	SHGC	VLT	Energy Star
IntelliGlass Low E / Argon	.28	.37	.27	.29	.52	N NC	.28	.34	.27	.26	.47	N NC
IntelliGlass X Low E / Argon	.28	.22	.27	.22	.50	NC SC S	.28	.20	.27	.20	.44	NC SC S
IntelliGlass X3 Triple Pane Low E / Argon	.24	.21	.23	.21	.46	N NC SC S	.24	.19	.23	.19	.41	N NC SC S
IntelliGlass Plus Triple Pane Low E / Argon	.20	.24	.18	.24	.39	N NC SC S	.20	.22	.18	.22	.35	N NC SC S
IntelliGlass Supreme Triple Pane Low E / Krypton	.17	.24	.16	.24	.39	N NC SC S	.18	.22	.16	.22	.35	N NC SC S

	Intercept Super Spacer					Intercept Super Spacer						
4770 Picture Window	U Value	SHGC	U Value	SHGC	VLT	Energy Star	U Value	SHGC	U Value	SHGC	VLT	Energy Star
IntelliGlass Low E / Argon	.27	.39	.26	.30	.55	N NC	.27	.36	.26	.27	.49	N NC
IntelliGlass X Low E / Argon	.27	.23	.26	.23	.52	N NC SC S	.27	.21	.26	.21	.47	N NC SC S
IntelliGlass X3 Triple Pane Low E / Argon	.23	.22	.22	.22	.48	N NC SC S	.23	.20	.22	.20	.43	N NC SC S
IntelliGlass Plus Triple Pane Low E / Argon	.18	.25	.17	.25	.41	N NC SC S	.18	.23	.17	.23	.37	N NC SC S
IntelliGlass Supreme Triple Pane Low E / Krypton	.16	.25	.15	.25	.41	N NC SC S	.16	.23	.15	.23	.37	N NC SC S

2020 Energy Star Most Efficient

<b>Product Rating</b>	Up to this size window*	Design Pressure PSF	Water Resistance PSF	Air Infiltration cfm/ft <sup>2</sup>	The the
Double Hung R-PG45	40" x 63" SS glass	45	7.5	0.12	The thre
Double Hung R-PG50	40" x 63" DS glass	50	7.5	0.09	VLT thro
Slider R-PG25	63" x 44" SS glass	25	4.5	0.13	* wi

ne lower the **U-value**, the greater a window's resistance to heat flow and to be better its insulating value ne lower the **SHGC**, the more a product is blocking solar heat from co

**\*LT** - Visible Light Transmittance - lower values mean less light pas prough the window.

vindows outside these size limits have not been structurally tester



## WARRANTY

Many windows claim to carry a lifetime warranty, but Franklin windows are backed by one of the strongest window warranties available.

Our Lifetime Limited Warranty includes:

**VINYL** - warranted against warping, chipping, cracking, blistering rotting.

**GLASS** - warranted against visual obstruction, seal failure, spontaneous AND accidental breakage.

**SCREEN** - frame warranted against cracking or breaking, cloth warranted against rotting or staining.

PARTS & HARDWARE - are warranted against cracking, breaking or failing during normal use.

We want you to love your windows for as long as you live in your home. In fact, we want the next homeowner to love them, too, so the warranty is transferable.\*

\*Limitations apply.



## THE VINYLMAX STORY

Founded in 1982 by the Doerger family and manufacturing a mere five windows per day, the Vinylmax legacy began to unfold. As one of the very first vinyl window manufacturers in the United States, Vinylmax embraced the philosophy that quality custom windows manufactured quickly would inspire loyalty in its customers.

Today, the next generation of the Doerger family continues to embrace that philosophy. Millions of American homes are more beautiful and more energy efficient, thanks to Vinylmax windows.



2921 McBride Court Hamilton, OH 45011



















